



| Publication ID | Title | Publisher | Date | Notes |
|-----------------------|---|----------------------------------|-------------|--------------|
| G5/3 | Limits for harmonics in the UK electricity supply system | Electricity Research Association | 1976 | |
| ERA 69-30 | Part 3, Sustained current ratings for pvc-insulated cables. Part 5, sustained current ratings for cables with thermosetting insulation | | | |
| C62.41 | ANSI/IEEE Surge voltages in low voltage a.c. power circuits | | 1980 | |
| EH 40 | HSE Occupational Exposure limits | HSE | Annual | |
| HS(G)41 | Petrol filling stations – Construction and operation | HSE | 1990 | |
| HS(G)47 | Avoiding danger from overhead electrical lines | HSE | | |
| GS6 (rev) | Avoidance of danger from overhead electrical lines | HSE | | |
| HS(G)141 | Electrical safety on construction sites | HSE | | |
| HS(G)85 | Electrical at work – safe working practices | HSE | | |
| GS38 (rev) | Electrical test equipment for use by electricians | HSE | | |
| GS50 | Electrical safety at places of entertainment | HSE | | |
| PM29 (rev) | Electrical hazards from steam/water pressure cleaners etc. | HSE | 1995 | |
| PM38 | Selection and use of fluorescent lamps | HSE | 1992 | |
| HS(G)25 | Memorandum of guidance on the Electricity at Work Regulations 1989 | HSE | | |
| | Code of practice for in-service inspection and testing of electrical equipment | HSE | | |
| Paper No. 6 | Waste Management Paper No. 6 – Polychlorinated Biphenyl (PCB) Wastes | HMSO | | |