



<section-header><section-header><text><text>



This is a management information publication

Published management information is non-official statistics which may be in the process of being transitioned into official statistics. They may not comply with the UK Statistics Authority's Code of Practice with regard to high data quality or high public value but there is a public interest or a specific interest by a specialist user group in accessing these statistics as there are no associated official statistics available.

Users should therefore be aware of the aspects of data quality and caveats surrounding these data, all of which are listed in this document.

Find out more about management information publications at: <u>https://www.statisticsauthority.gov.uk/wp-content/uploads/2016/06/National-Statisticians-Guidance-Management-Information-and-Official-Statistics.pdf</u>



Contents

ntroduction	3
Results and Commentary	4
Contact	8
Further information	8
Rate this publication	8
Appendices	9
Appendix 1 – Publication metadata	9
Appendix 2 – Early access details	14



Introduction

Antimicrobial Resistance and Healthcare Associated Infection (ARHAI) Scotland, part of National Services Scotland works closely with Public Health Scotland to deliver under the Health Protection Scotland (HPS) COVID-19 response. This release provides data for COVID-19 hospital onset cases in Scotland for week ending 1 March 2020 to week ending 30 August 2020.

A system for monitoring COVID-19 is critical to tracking hospital transmission and will inform infection prevention and control measures. The published data can be used to improve care of patients. The transmission of COVID-19 is thought to occur mainly through respiratory droplets generated by coughing and through contact with contaminated surfaces. As sustained community transmission has occurred as the pandemic has progressed, it has become more challenging to identify true cases of hospital transmission. Further information on the epidemiology of COVID-19 in healthcare settings can be found on the Health Protection Scotland website.

ARHAI Scotland is working with NHS boards to validate COVID-19 hospital onset cases to ensure the data are robust.

Data are provided for the 14 NHS boards and one NHS special health board.

Results and Commentary

Breakdown of COVID-19 cases by hospital onset status – cumulative data

The total number of COVID-19 cases reported to ARHAI Scotland, with specimen dates up to 30 August 2020, was 20,625. Of these:

- 15,440 (74.9%) were reported as community onset (first positive specimen taken in the community).
- 3,549 (17.2%) were reported as non-hospital onset (first positive specimen on day 1 or 2 of in-patient admission to NHS board).
- 306 (1.5%) were reported as indeterminate hospital onset (first positive specimen on days 3 to 7 of admission to NHS board).
- 276 (1.3%) were reported as probable hospital onset (first positive specimen on days 8 to 14 of admission to NHS board).
- 1,054 (5.1%) were reported as definite hospital onset (first positive specimen date was 15 or more days after admission to NHS board).

Breakdown of COVID-19 cases by hospital onset status – weekly data


The total number of COVID-19 cases reported to ARHAI Scotland, this week (week ending 30 August 2020) was 627. Of these:

- 611 (97.4%) were reported as community onset (first positive specimen taken in the community). In the previous week (week ending 23 August 2020) there were 592 (93.3%).
- 14 (2.2%) were reported as non-hospital onset (first positive specimen on day 1 or 2 of admission to NHS board). In the previous week (week ending 23 August 2020) there were 3 (0.5%).
- 0 (0.0%) were reported as indeterminate hospital onset (first positive specimen on days 3 to 7 of admission to NHS board). In the previous week (week ending 23 August 2020) there was 1 (0.2%).
- 1 (0.2%) was reported as probable hospital onset (first positive specimen on days 8 to 14 of admission to NHS board). In the previous week (week ending 23 August 2020) there were 0 (0.0%).
- 1 (0.2%) was reported as definite hospital onset (first positive specimen date was 15 or more days after admission to NHS board). In the previous week (week ending 23 August 2020) there were 0 (0.0%).

Figure 1: Epidemic curve of COVID-19 cases with first positive specimen taken during an inpatient stay, by onset status: week-ending 1 March to week-ending 30 August 2020 (n=5,185). ^{1,2}

ARHAI Scotland

∆nti



- 1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) data and Rapid Admission Preliminary Inpatient Data (RAPID) data or local admission data.
- 2. The community cases are not represented is this chart as first sample was not taken in hospital setting.

NHS board	Total COVID- 19 cases	Non- hospital onset	Indeterminate hospital onset cases	Probable hospital onset cases	Definite hospital onset cases	Non- hospital onset	Indeterminate hospital onset cases	Probable hospital onset cases	Definite hospital onset cases
	(n)	(n)	(n)	(n)	(n)	(%)	(%)	(%)	(%)
Ayrshire & Arran	1,342	234	20	20	46	17.4%	1.5%	1.5%	3.4%
Borders	366	62	5	7	30	16.9%	1.4%	1.9%	8.2%
Dumfries & Galloway	311	72	6	1	0	23.2%	1.9%	0.3%	0.0%
Fife	989	147	12	8	119	14.9%	1.2%	0.8%	12.0%
Forth Valley	1,148	162	12	9	24	14.1%	1.0%	0.8%	2.1%
Golden Jubilee	9	3	2	2	2	-	-	-	-
Grampian	1,941	198	20	23	80	10.2%	1.0%	1.2%	4.1%
Greater Glasgow & Clyde	5,660	1,304	107	95	421	23.0%	1.9%	1.7%	7.4%
Highland	380	73	9	5	23	19.2%	2.4%	1.3%	6.1%
Lanarkshire	2,873	522	53	38	123	18.2%	1.8%	1.3%	4.3%
Lothian	3,380	499	43	54	139	14.8%	1.3%	1.6%	4.1%
Orkney	16	4	0	0	0	25.0%	0.0%	0.0%	0.0%
Shetland	55	6	0	0	0	10.9%	0.0%	0.0%	0.0%
Tayside	2,148	258	17	14	47	12.0%	0.8%	0.7%	2.2%
Western Isles	7	5	0	0	0	71.4%	0.0%	0.0%	0.0%
Scotland	20,625	3,549	306	276	1,054	17.2%	1.5%	1.3%	5.1%

Table 1: Number of COVID-19 cases, by onset status and NHS board: specimen dates up to 30 August 2020.^{1,2,3}


1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) data and Rapid Admission Preliminary Inpatient Data (RAPID) data or local admission data.

2. NHS Golden Jubilee has been excluded from the proportions data since data for this board will not be comparable with others due to no "community onset" cases assigned to that board.

3. The data used has not been adjusted for different patient groups and size of NHS board.

Figure 2: Proportion of COVID-19 cases by onset status and NHS board: specimen dates up to 30 August 2020.^{1,2,3}

RHAI Scotland



- 1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Rapid Admission Preliminary Inpatient Data (RAPID) data or local admission data.
- 2. NHS Golden Jubilee has been excluded since data for this board will not be comparable with others due to no "community onset" cases assigned to that board.
- 3. The data used has not been adjusted for different patient groups and size of NHS board.



Contact

Laura Imrie Clinical Lead, Antimicrobial Resistance and Healthcare Associated Infections (ARHAI) Scotland NHS National Services Scotland Phone: 0141 300 1922 Email: <u>nss.hpshaiic@nhs.scot</u>

Further information

Further Information can be found on the HPS website.

For more information on types of infections included in this report, please see the <u>COVID-19</u> pages on the HPS website.

The next release of this publication will be 30 September 2020.

Rate this publication

Please provide feedback on this publication to help us improve our services.



Appendices

Appendix 1 – Publication metadata

Metadata	Description
indicator	
Publication title	Hospital onset COVID-19 cases in Scotland
Description	This release provides information on hospital onset COVID-19 cases, there is a need for consistent reporting using standardised case definitions.
Theme	Infections in Scotland
Торіс	COVID-19
Format	Word document
Data source(s)	COVID-19 Cases:
	Case data source: Electronic Communication of Surveillance in Scotland (ECOSS)
	Admissions Data Source: Rapid Admission Preliminary Inpatient Data (RAPID) or Local Patient Admissions Systems
Date that data are acquired	08 September 2020
Release date	23 September 2020
Frequency	Weekly
Timeframe of data and timeliness	Timeframe of this publication was decided by first positive sample in Scotland (i.e. March 2020)
	The latest iteration of data is 30 August 2020, therefore the data are 3 or 4 weeks in arrears.
Continuity of data	Weekly updates
Revisions statement	These data are not subject to planned major revisions. However, ARHAI Scotland aims to continually improve the interpretation of the data and therefore analysis methods are regularly reviewed and may be updated in the future.
Revisions relevant to this publication	Data are continually validated by both NHS boards and within the ECOSS laboratory database. ECOSS is a live database and due to possible changes in specimen dates, personal demographics or amendments to COVID-19 test results, retrospective counts for Community onset cases may vary slightly from week to week. Any changes to cases taken within hospital settings, which are validated by NHS boards, are tracked by ARHAI Scotland. Changes to retrospective data for the Non-hospital onset, indeterminate hospital onset, probable hospital onset and definite hospital onset groups are outlined in the table below if applicable.
	Revisions relevant to this publication for COVID-19 cases taken within hospital settings up to 23 August include:

ARHAI Scotland

Antimicrobial Resistance and Healthcare Associated Infection

	NHS Board	Hospital Onset Category	Change	Reason for Change		
	Scotland	Community onset	+2	Case added to ECOSS for week ending 23/08/2020.		
and definitions	 through contact with contaminated surfaces. Further information on the epidemiology of COVID-19 in healthcare settings can be found on the Health Protection Scotland website. As sustained community transmission has occurred as the pandemic has progressed, it has become more challenging to identify true cases of hospital transmission. A system for monitoring COVID-19 is critical to tracking nosocomial transmission in healthcare settings to inform infection, prevention and control measures. In response to the Scottish Government's request to ascertain and validate the hospital-onset status of all COVID-19 cases in Scotland, HPS is working with NHS boards to establish a minimum viable dataset to fulfil this request. The agreed nosocomial case definition for the UK is based on the number of days since admission to an NHS health board to the date of specimen sampling for a positive SARS-CoV-2 RT-PCR test. Time since admission to specimen sampling is categorised as: community onset (first positive specimen taken in the community), non-hospital onset (first positive specimen on day 1 or 2 of admission to NHS board) probable (first positive specimen on days 8 to 14 of admission to NHS board) definite hospital onset (first positive specimen date was 15 or more days after admission to NHS board) 					
	These definitions		the maximum	incubation period of 14 days. See		
	These definitions table below:	are necessary due to t		incubation period of 14 days. See		
	These definitions table below:	are necessary due to t	Noso	incubation period of 14 days. See		
	These definitions table below: Day of samplin Before admissio	are necessary due to t	Noso Comr	incubation period of 14 days. See		
	These definitions table below: Day of samplin Before admission Day 1 of admission	are necessary due to t ag post admission on sion/on admission to N	Noso Comr NHS Non-ł	incubation period of 14 days. See comial categorisation nunity onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admiss board	are necessary due to t ng post admission on sion/on admission to N sion	Noso Comr NHS Non-ł Non-ł	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admiss board Day 2 of admiss	are necessary due to t ag post admission on sion/on admission to N sion	Noso Comr NHS Non-h Non-h Indete	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admiss board Day 2 of admiss Day 3 of admiss	are necessary due to t ag post admission on sion/on admission to M sion sion	Noso Comr NHS Non-h Non-h Indete	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19 erminate hospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admiss board Day 2 of admiss Day 3 of admiss Day 4 of admiss	are necessary due to t ag post admission on sion/on admission to N sion sion sion	Noso Comr NHS Non-h Non-h Indete Indete	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19 erminate hospital onset COVID-19 erminate hospital onset COVID-19 erminate hospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admiss board Day 2 of admiss Day 3 of admiss Day 4 of admiss	are necessary due to t ag post admission on sion/on admission to N sion sion sion sion	Noso Comr NHS Non-h Non-h Indete Indete	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19 erminate hospital onset COVID-19 erminate hospital onset COVID-19 erminate hospital onset COVID-19 erminate hospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admiss board Day 2 of admiss Day 3 of admiss Day 4 of admiss Day 5 of admiss	are necessary due to the sion of the sion	Noso Comr NHS Non-h Non-h Indete Indete Indete	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 minate hospital onset COVID-19 erminate hospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admission Day 2 of admission Day 2 of admission Day 3 of admission Day 5 of admission Day 6 of admission Day 7 of admission	are necessary due to t ag post admission on sion/on admission to N sion sion sion sion sion sion	Noso Comr NHS Non-h Non-h Indete Indete Indete Proba	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19 erminate hospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admission Day 2 of admission Day 3 of admission Day 4 of admission Day 5 of admission Day 6 of admission Day 8 of admissi	are necessary due to t	Noso Comr NHS Non-h Non-h Indete Indete Indete Indete Proba	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19 erminate hospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admiss board Day 2 of admiss Day 3 of admiss Day 4 of admiss Day 5 of admiss Day 7 of admiss Day 8 of admiss	are necessary due to t	Noso Comr NHS Non-r Non-r Indete Indete Indete Indete Proba Proba	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19 erminate hospital onset COVID-19 ble hospital onset COVID-19 ble hospital onset COVID-19		
	These definitions table below: Day of samplin Before admission Day 1 of admission Day 2 of admission Day 3 of admission Day 4 of admission Day 5 of admission Day 6 of admission Day 8 of admission Day 9 of admission Day 10 of ad	are necessary due to t	Noso Comr NHS Non-h Non-h Indete Indete Indete Indete Proba Proba	incubation period of 14 days. See comial categorisation nunity onset COVID-19 nospital onset COVID-19 nospital onset COVID-19 erminate hospital onset COVID-19 ble hospital onset COVID-19 ble hospital onset COVID-19 ble hospital onset COVID-19		

Antimicrobial Resistance ar	nd Healthcare Associated Infection					
	Day 14 of admission	Probable hospital onset COVID-19				
	Day 15 of admission and onwards to discharge	Definite hospital onset COVID-19				
	Post discharge	Community onset COVID-19				
	The hospital onset cases in this report represe include COVID-19 associated with hospital ca post-discharge.					
	Cases that are not associated with a Scottish health board were excluded form analysis. <i>Start point of duration</i>					
	Admission to health board was agreed as the duration of hospital stay to first positive specin a single hospital, since patients can be transfe to restarting the clock to 'day 1' each time and nosocomial infections.	nen date, rather than the date of admission to erred between hospitals which would lead				
	Any discharges and re-admissions which occur within the same calendar day will be classed as a continuous stay; the clock will not be restarted in these instances, only when a readmission occurs on the second day or more after any discharge.					
	Admission Preliminary Inpatient Data (RAPID individual NHS board's internal admissions sy	nple was taken, established either using Rapid) data and validated by the boards, or using /stems. Since the definition of hospital-onset nission to NHS board, the board assigned may				
	For community onset (no admission), the NH to the Electronic Communications of Surveilla database.					
	Minimum data required to be validated:					
	 CHI number Date of positive SARS-CoV-2 RT-PC Date of admission to health board wh NHS board where first positive test ur 	nen patient tested positive for COVID-19				
Relevance and key uses of the statistics		trends and assisting in outbreak investigations smission within the hospital setting. HPS offers d their local COVID-19 prevention strategies.				
Accuracy	It is acknowledged that patients can be transferred into a different health board during be restarted to 'day 1' which could lead to an decision to restrict start date to admission to a the requirement to report at the health board-l which occur within the same calendar day will	the same hospital stay, then the clock would underestimation of cases. However, the single NHS health board represents				

ARHAI Scotland

	in these instances, only when a readmission occurs on the second or more day after any discharge.
	COVID-19 cases identified after discharge from hospital but within 14 days may be associated with the hospital. These cases, including those identified on readmission to hospital, are not included as hospital onset. This may result in under-reporting of COVID-19 cases associated with hospital care.
Completeness	Surveillance data are collected using the ECOSS system that allows data collectors in NHS boards to validate ECOSS records as well as identifying additional cases that may not be included in the Electronic Communications of Surveillance in Scotland (ECOSS) system. This therefore means that completeness is near to 100%.
	NHS Golden Jubilee will be excluded from any views showing the proportion of hospital onset cases due to no non-hospital onset cases being assigned to that board – therefore data for this board will not be comparable with other NHS boards.
Comparability	The agreed nosocomial case definition for the UK has been adopted to allow comparison across the four nations. However, geographical differences for example NHS board versus NHS Trust have to be considered.
	Prior to 15 June, the total number of cases reported by Public Health Scotland and the Scottish Government did not include those identified in UK Government Laboratories. The number of cases reported in this report includes cases identified in this scheme so will therefore be higher than what was included in the daily reporting prior to 15 June.
	There may be some differences to NHS board level counts within this report and reports from Public Health Scotland, due to the previously described differing methods in classifying the NHS board.
Accessibility	It is the policy of HPS to make its web sites and products accessible according to published guidelines.
Coherence and clarity	Tables and charts are accessible via the HPS website at: https://www.hps.scot.nhs.uk/a-to-z-of-topics/covid-19/hospital-onset-covid- 19-cases-in-scotland/
Value type and unit of measurement	At National level, the number and proportion of COVID-19 cases which can be classed as definite hospital onset, probable hospital onset, indeterminate hospital onset, non-hospital onset and community onset, and broken down by week using the date of first positive COVID-19 sample.
	NHS board level, the cumulative number and proportion of COVID-19 cases which can be classed as definite hospital onset, probable hospital onset, indeterminate hospital onset, non-hospital onset and community onset, using the date of first positive COVID-19 sample.
	Due to rounding the percentages do not always add up to 100%
Disclosure	The HPS protocol on <u>Statistical Disclosure Control Protocol</u> is followed.
Official Statistics designation	Management Information



Antimicrobial Resistance and Healthcare Associated Infection

UK Statistics Authority Assessment	Not assessed
Last published	NA
Next published	30 September 2020
Date of first publication	01 July 2020
Help email	nss.hpshaiic@nhs.scot
Date form completed	23 September 2020



Appendix 2 – Early access details

Pre-Release Access

Under terms of the "Pre-Release Access to Official Statistics (Scotland) Order 2008", ARHAI Scotland is obliged to publish information on those receiving Pre-Release Access ("Pre-Release Access" refers to statistics in their final form prior to publication). The standard maximum Pre-Release Access is five working days. Shown below are details of those receiving standard Pre-Release Access.

Standard Pre-Release Access:

Scottish Government Health Department

NHS board Chief Executives

NHS board Communication leads