



<section-header><section-header><text><text>



This is a management information publication

Published management information is non-official statistics which may be in the process of being transitioned into official statistics. They may not comply with the UK Statistics Authority's Code of Practice with regard to high data quality or high public value but there is a public interest or a specific interest by a specialist user group in accessing these statistics as there are no associated official statistics available.

Users should therefore be aware of the aspects of data quality and caveats surrounding these data, all of which are listed in this document.

Find out more about management information publications at: <u>https://www.statisticsauthority.gov.uk/wp-content/uploads/2016/06/National-Statisticians-Guidance-Management-Information-and-Official-Statistics.pdf</u>



Contents

ntroduction	3
Results and Commentary	4
Contact	8
Further information	8
Rate this publication	8
Appendices	9
Appendix 1 – Publication metadata	9
Appendix 2 – Early access details	14



Introduction

Antimicrobial Resistance and Healthcare Associated Infection (ARHAI) Scotland, part of National Services Scotland, works closely with Public Health Scotland to deliver under the Health Protection Scotland (HPS) COVID-19 response. This release provides data for COVID-19 hospital onset cases in Scotland from week ending 1 March 2020 to week ending 21 February 2021.

A system for monitoring COVID-19 is critical to tracking hospital transmission and will inform infection prevention and control measures. The published data can be used to improve care of patients. The transmission of COVID-19 is thought to occur mainly through respiratory droplets generated by coughing and through contact with contaminated surfaces. As sustained community transmission has occurred as the pandemic has progressed, it has become more challenging to identify true cases of hospital transmission. Further information on the epidemiology of COVID-19 in healthcare settings can be found on the Health Protection Scotland website.

ARHAI Scotland is working with NHS boards to validate COVID-19 hospital onset cases to ensure the data are robust.

Data are provided for the 14 NHS boards and one NHS special health board.

Results and Commentary

Breakdown of COVID-19 cases by hospital onset status – cumulative data

The total number of COVID-19 cases reported to ARHAI Scotland, with specimen dates up to 21 February 2021, was 198,665. Of these:

- 184,055 (92.6%) were reported as community onset (first positive specimen taken in the community).
- 8,175 (4.1%) were reported as non-hospital onset (first positive specimen on day 1 or 2 of inpatient admission to NHS board).
- 1,218 (0.6%) were reported as indeterminate hospital onset (first positive specimen on days 3 to 7 of admission to NHS board).
- 1,605 (0.8%) were reported as probable hospital onset (first positive specimen on days 8 to 14 of admission to NHS board).
- 3,612 (1.8%) were reported as definite hospital onset (first positive specimen date was 15 or more days after admission to NHS board).


Breakdown of COVID-19 cases by hospital onset status – weekly data

The total number of COVID-19 cases reported to ARHAI Scotland this week (week ending 21 February 2021) was 5,753. Of these:

- 5,481 (95.3%) were reported as community onset (first positive specimen taken in the community). In the previous week (week ending 14 February 2021) there were 5,150 (92.5%).
- 153 (2.7%) were reported as non-hospital onset (first positive specimen on day 1 or 2 of admission to NHS board). In the previous week (week ending 14 February 2021) there were 180 (3.2%).
- 28 (0.5%) were reported as indeterminate hospital onset (first positive specimen on days 3 to 7 of admission to NHS board). In the previous week (week ending 14 February 2021) there were 37 (0.7%).
- 31 (0.5%) were reported as probable hospital onset (first positive specimen on days 8 to 14 of admission to NHS board). In the previous week (week ending 14 February 2021) there were 64 (1.1%).
- 60 (1.0%) were reported as definite hospital onset (first positive specimen date was 15 or more days after admission to NHS board). In the previous week (week ending 14 February 2021) there were 137 (2.5%).



Figure 1: Epidemic curve of COVID-19 cases with first positive specimen taken during an inpatient stay, by onset status: week-ending 1 March 2020 to week-ending 21 February 2021 (n=14,610). ^{1,2}



Week Ending Date

- 1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) data and Rapid Admission Preliminary Inpatient Data (RAPID) data or local admission data.
- 2. The community cases are not represented in this chart as first sample was not taken in hospital setting.

NHS board	Total COVID- 19 cases	Non- hospital onset	Indeterminate hospital onset cases	Probable hospital onset cases	Definite hospital onset cases	Non- hospital onset	Indeterminate hospital onset cases	Probable hospital onset cases	Definite hospital onset cases
	(n)	(n)	(n)	(n)	(n)	(%)	(%)	(%)	(%)
Ayrshire & Arran	15,101	732	112	220	370	4.8%	0.7%	1.5%	2.5%
Borders	2,770	134	12	17	50	4.8%	0.4%	0.6%	1.8%
Dumfries & Galloway	3,987	191	16	6	7	4.8%	0.4%	0.2%	0.2%
Fife	9,613	432	31	33	246	4.5%	0.3%	0.3%	2.6%
Forth Valley	10,322	452	72	74	166	4.4%	0.7%	0.7%	1.6%
Golden Jubilee	20	10	5	2	3	-	-	-	-
Grampian	13,350	364	45	54	176	2.7%	0.3%	0.4%	1.3%
Greater Glasgow & Clyde	62,379	2,839	454	538	1,287	4.6%	0.7%	0.9%	2.1%
Highland	4,457	132	12	7	23	3.0%	0.3%	0.2%	0.5%
Lanarkshire	35,924	1,177	195	258	479	3.3%	0.5%	0.7%	1.3%
Lothian	27,197	1,099	155	267	541	4.0%	0.6%	1.0%	2.0%
Orkney	67	4	0	0	0	6.0%	0.0%	0.0%	0.0%
Shetland	211	12	0	0	0	5.7%	0.0%	0.0%	0.0%
Tayside	13,007	585	108	128	261	4.5%	0.8%	1.0%	2.0%
Western Isles	260	12	1	1	3	4.6%	0.4%	0.4%	1.2%
Scotland	198,665	8,175	1,218	1,605	3,612	4.1%	0.6%	0.8%	1.8%

Table 1: Number of COVID-19 cases, by onset status and NHS board: specimen dates up to 21 February 2021.^{1,2,3}


1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) data and Rapid Admission Preliminary Inpatient Data (RAPID) data or local admission data.

2. NHS Golden Jubilee has been excluded from the proportions data since data for this board will not be comparable with others due to no "community onset" cases assigned to that board.

3. The data used has not been adjusted for different patient groups and size of NHS board.



Figure 2: Proportion of COVID-19 cases by onset status and NHS board: specimen dates up to 21 February 2021.^{1,2,3}



- 1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Rapid Admission Preliminary Inpatient Data (RAPID) data or local admission data.
- 2. NHS Golden Jubilee has been excluded since data for this board will not be comparable with others due to no "community onset" cases assigned to that board.
- 3. The data used has not been adjusted for different patient groups and size of NHS board.



Contact

Laura Imrie Clinical Lead, Antimicrobial Resistance and Healthcare Associated Infections (ARHAI) Scotland NHS National Services Scotland Phone: 0141 300 1922 Email: <u>nss.hpshaiic@nhs.scot</u>

Further information

Further Information can be found on the <u>HPS website</u>.

For more information on types of infections included in this report, please see the <u>COVID-19</u> pages on the HPS website.

The next release of this publication will be 24 March 2021.

Rate this publication

Please provide feedback on this publication to help us improve our services.



Appendices

Appendix 1 – Publication metadata

Metadata	Description
indicator	Description
Publication title	Hospital onset COVID-19 cases in Scotland
Description	This release provides information on hospital onset COVID-19 cases, there is a need for consistent reporting using standardised case definitions.
Theme	Infections in Scotland
Торіс	COVID-19
Format	Word document
Data source(s)	COVID-19 Cases: Case data source: Electronic Communication of Surveillance in Scotland
	(ECOSS) Admissions Data Source: Rapid Admission Preliminary Inpatient Data (RAPID) or Local Patient Admissions Systems
Date that data are acquired	2 March 2021
Release date	17 March 2021
Frequency	Weekly
Timeframe of data and timeliness	Timeframe of this publication was decided by first positive sample in Scotland (i.e. March 2020) The latest iteration of data is 21 February 2021, therefore the data are 3 or 4 weeks in arrears.
Continuity of data	Weekly updates
Revisions statement	These data are not subject to planned major revisions. However, ARHAI Scotland aims to continually improve the interpretation of the data and therefore analysis methods are regularly reviewed and may be updated in the future.
Revisions relevant to this publication	Data are continually validated by both NHS boards and within the ECOSS laboratory database. ECOSS is a live database and due to possible changes in specimen dates, personal demographics or amendments to COVID-19 test results, retrospective counts for Community onset cases may vary slightly from week to week. Any changes to cases taken within hospital settings, which are validated by NHS boards, are tracked by ARHAI Scotland. Changes to retrospective data for the Non-hospital onset, indeterminate hospital onset, probable hospital onset and definite hospital onset groups are outlined in the table below if applicable.

	NHS Board	Hospital Onset Category	Change	Reason for Change
	Scotland	Community onset	+1	ECOSS amendments for week ending 06/12/2021
	Scotland Scotland Scotland Scotland Scotland	Community onset	-6	ECOSS amendments for week ending 10/01/2021
		Community onset	-7	ECOSS amendments for week ending 17/01/2021
		Community onset	+1	ECOSS amendments for week ending 24/01/2021
		Community onset	+1	ECOSS amendments for week ending 31/01/2021
		Community onset	+8	ECOSS amendments for week ending 07/02/2021
	Scotland	Community onset	-6	ECOSS amendments for week ending 14/02/2021
ncepts I initions	through contact	with contaminated sur	faces. <u>Further</u>	ainly through respiratory droplets information on the epidemiology Health Protection Scotland web
1	through contact <u>COVID-19 in he</u> As sustained co has become mo A system for mo healthcare settin Scottish Govern COVID-19 case viable dataset to The agreed nos since admission positive SARS- is categorised a • commu onset (f	with contaminated surf <u>ealthcare settings can b</u> ommunity transmission ore challenging to ident onitoring COVID-19 is of ngs to inform infection p ment's request to asce es in Scotland, HPS is w o fulfil this request. socomial case definition to an NHS health boa CoV-2 RT-PCR test. Ti is: unity onset (first positive first positive specimen of minate (first positive specimen of	aces. <u>Further</u> e found on the has occurred a ify true cases of prevention and ertain and valid vorking with NI of to the UK is b rd to the date of me since adm specimen take on day 1 or 2 of ecimen on day	Information on the epidemiology Health Protection Scotland web as the pandemic has progressed of hospital transmission. Ing nosocomial transmission in control measures. In response to ate the hospital-onset status of a HS boards to establish a minimu- pased on the number of days of specimen sampling for a sistion to specimen sampling en in the community), non-hospi f admission to NHS board) is 3 to 7 of admission to NHS bo
1	through contact <u>COVID-19 in he</u> As sustained co has become mo A system for mo healthcare settin Scottish Govern COVID-19 case viable dataset to The agreed nos since admission positive SARS	with contaminated surface settings can be ommunity transmission one challenging to ident onitoring COVID-19 is one of the set of the	aces. <u>Further</u> e found on the has occurred a fly true cases of critical to trackin prevention and ertain and valid vorking with NI of to the UK is to rd to the date of me since adm specimen take on day 1 or 2 of ecimen on days 8 to	Information on the epidemiology Health Protection Scotland web as the pandemic has progressed of hospital transmission. Ing nosocomial transmission in control measures. In response to ate the hospital-onset status of a HS boards to establish a minimu- based on the number of days of specimen sampling for a dission to specimen sampling en in the community), non-hospit f admission to NHS board)

at to this publication for $COVID_10$ cases taken within hospital settings up Povisions

Day of sampling post admission	Nosocomial categorisation
Before admission	Community onset COVID-19
Day 1 of admission/on admission to NHS board	Non-hospital onset COVID-19
Day 2 of admission	Non-hospital onset COVID-19
Day 3 of admission	Indeterminate hospital onset COVID-19
Day 4 of admission	Indeterminate hospital onset COVID-19
Day 5 of admission	Indeterminate hospital onset COVID-19
Day 6 of admission	Indeterminate hospital onset COVID-19
Day 7 of admission	Indeterminate hospital onset COVID-19
Day 8 of admission	Probable hospital onset COVID-19
Day 9 of admission	Probable hospital onset COVID-19
Day 10 of admission	Probable hospital onset COVID-19
Day 11 of admission	Probable hospital onset COVID-19
Day 12 of admission	Probable hospital onset COVID-19
Day 13 of admission	Probable hospital onset COVID-19
Day 14 of admission	Probable hospital onset COVID-19
Day 15 of admission and onwards to discharge	Definite hospital onset COVID-19
Post discharge	Community onset COVID-19

The hospital onset cases in this report represent cases presenting in hospital and do not include COVID-19 associated with hospital care that present on readmission to hospital or post-discharge.

Cases that are not associated with a Scottish health board were excluded form analysis.

Start point of duration

Admission to health board was agreed as the appropriate point to start counting the duration of hospital stay to first positive specimen date, rather than the date of admission to a single hospital, since patients can be transferred between hospitals which would lead to restarting the clock to 'day 1' each time and therefore underestimating the number of nosocomial infections.

Any discharges and re-admissions within the same health board which occur within the same calendar day will be classed as a continuous stay; the clock will not be restarted in these instances, only when a readmission occurs on the second day or more after any discharge.

For definite, probable, indeterminate and non-hospital onset (day 1 or 2 of inpatient stay), the NHS board reported is where the first sample was taken, established either using Rapid Admission Preliminary Inpatient Data (RAPID) data and validated by the boards, or using individual NHS board's internal admissions systems. Since the definition of hospital-onset COVID-19 was determined using date of admission to NHS board, the board assigned may not represent the board of attribution of hospital-onset COVID-19 infection (Table above).

	For community onset (no admission), the NHS board of residence will be used, according to the Electronic Communications of Surveillance in Scotland (ECOSS) lab surveillance database.
	Minimum data required to be validated:
	 CHI number Date of positive SARS-CoV-2 RT-PCR test Date of admission to health board when patient tested positive for COVID-19 NHS board where first positive test undertaken
Relevance and key uses of the statistics	Surveillance data are essential for monitoring trends and assisting in outbreak investigations and to understand the extent of ongoing transmission within the hospital setting. ARHAI Scotland offers support to NHS boards across Scotland to aid their local COVID-19 prevention strategies.
Accuracy	It is acknowledged that patients can be transferred between NHS health boards and if transferred into a different health board during the same hospital stay, then the clock is restarted to 'day 1' which could lead to an underestimation of cases. However, the decision to restrict start date to admission to a single NHS health board represents the requirement to report at the health board-level. Any discharges and re-admissions which occur within the same calendar day and within the same NHS board will be overlooked - the clock will not be restarted in these instances, only when a readmission occurs on the second or more day after any discharge.
	COVID-19 cases identified after discharge from hospital but within 14 days may be associated with the hospital. These cases, including those identified on readmission to hospital, are not included as hospital onset. This may result in under-reporting of COVID-19 cases associated with hospital care.
Completeness	Surveillance data are collected using the ECOSS system that allows data collectors in NHS boards to validate ECOSS records as well as identifying additional cases that may not be included in the Electronic Communications of Surveillance in Scotland (ECOSS) system. This therefore means that completeness is near to 100%.
	NHS Golden Jubilee will be excluded from any views showing the proportion of hospital onset cases due to no non-hospital onset cases being assigned to that board – therefore data for this board will not be comparable with other NHS boards.
Comparability	The agreed nosocomial case definition for the UK has been adopted to allow comparison across the four nations. However, geographical differences for example NHS board versus NHS Trust have to be considered.
	Prior to 15 June, the total number of cases reported by Public Health Scotland and the Scottish Government did not include those identified in UK Government Laboratories. The number of cases reported in this report includes cases identified in this scheme so will therefore be higher than what was included in the daily reporting prior to 15 June.
	There may be some differences to NHS board level counts within this report and reports from Public Health Scotland, due to the previously described differing methods in classifying the NHS board.

ARHAI Scotland

Antimicrobial Resistance and Healthcare Associated Infection

Accessibility	It is the policy of HPS to make its web sites and products accessible according to published guidelines.
	Link to this reports open data platform can be found here: https://www.opendata.nhs.scot/dataset/hospital-onset-covid-19-cases-in-scotland
Coherence and clarity	Previous published reports can be found at: <u>https://beta.isdscotland.org/find-publications-and-data/population-health/covid-</u> <u>19/hospital-onset-covid-19-cases-in-scotland/</u>
Value type and unit of measurement	At National level, the number and proportion of COVID-19 cases which can be classed as definite hospital onset, probable hospital onset, indeterminate hospital onset, non-hospital onset and community onset, and broken down by week using the date of first positive COVID-19 sample.
	NHS board level, the cumulative number and proportion of COVID-19 cases which can be classed as definite hospital onset, probable hospital onset, indeterminate hospital onset, non-hospital onset and community onset, using the date of first positive COVID-19 sample.
	Due to rounding the percentages do not always add up to 100%
Disclosure	The HPS protocol on Statistical Disclosure Control Protocol is followed.
Official Statistics designation	Management Information
UK Statistics Authority Assessment	Not assessed
Last published	NA
Next published	24 March 2021
Date of first publication	1 July 2020
Help email	nss.hpshaiic@nhs.scot
Date form completed	17 March 2021



Appendix 2 – Early access details

Pre-Release Access

Under terms of the "Pre-Release Access to Official Statistics (Scotland) Order 2008", ARHAI Scotland is obliged to publish information on those receiving Pre-Release Access ("Pre-Release Access" refers to statistics in their final form prior to publication). The standard maximum Pre-Release Access is five working days. Shown below are details of those receiving standard Pre-Release Access.

Standard Pre-Release Access:

Scottish Government Health Department

NHS board Chief Executives

NHS board Communication leads