

Clostridioides difficile
infection, *Escherichia coli*
bacteraemia,
Staphylococcus aureus
bacteraemia and Surgical
Site Infection in Scotland

April to June 2023

Publication date: 03 October 2023

This is an Official Statistics Publication

The Official Statistics (Scotland) Order 2008 authorises NHS National Services Scotland (the legal name being the Common Services Agency for the Scottish Health Service) to produce official statistics.

All official statistics should comply with the UK Statistics Authority's Code of Practice which promotes the production and dissemination of official statistics that inform decision making. They can be formally assessed by the UK Statistics Authority's regulatory arm for National Statistics status.

Find out more about the Code of Practice at:

<https://code.statisticsauthority.gov.uk/>

Find out more about official statistics at:

<https://uksa.statisticsauthority.gov.uk/about-the-authority/uk-statistical-system/producers-of-official-statistics/>

Contents

Introduction	4
Main Points	5
Results and Commentary	7
<i>Clostridioides difficile</i> Infection (CDI)	7
<i>Escherichia coli</i> bacteraemia (ECB)	15
<i>Staphylococcus aureus</i> bacteraemia (SAB)	22
Surgical Site Infection (SSI)	29
List of Tables	30
Contact	32
Further Information	32
Rate this publication	32
Appendices	33
Appendix 1 – Background information	33
Revisions to the surveillance	33
Report methods and caveats	36
UK comparisons	36
Key to NHS boards	37
Appendix 2 – Publication Metadata	38
Appendix 3 – Early access details	50
Appendix 4 – ARHAI Scotland and Official Statistics	51

Introduction

Antimicrobial Resistance and Healthcare Associated Infection (ARHAI) Scotland provides a commentary on quarterly epidemiological data in Scotland for April to June (Q2) 2023 on the following:

- *Clostridioides difficile* infection
- *Escherichia coli* bacteraemia
- *Staphylococcus aureus* bacteraemia
- Surgical Site Infection

Data are provided for the 14 NHS boards and one NHS Special Health Board.

Main Points

***Clostridioides difficile* infection (CDI) during April to June 2023**

- The total number of CDI cases in patients reported to ARHAI was 314.
- 248 CDI cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 16.1 cases per 100,000 total occupied bed days (TOBDs).
- 66 CDI cases were reported as community associated. This corresponds to an incidence rate of 4.8 cases per 100,000 population.
- NHS Lanarkshire were above the 95% confidence interval upper limit for healthcare associated CDI in the funnel plot analysis.
- No NHS Boards were above the 95% confidence interval for community associated CDI in the funnel plot analysis.
- No NHS boards were above normal variation for healthcare or community associated CDI when analysing trends over the past three years.

***Escherichia coli* bacteraemia (ECB) during April to June 2023**

- The total number of ECB cases in patients reported to ARHAI was 1,083.
- 581 ECB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 37.6 cases per 100,000 TOBDs.
- 502 ECB cases were reported as community associated. This corresponds to an incidence rate of 36.7 cases per 100,000 population.
- NHS Tayside was above the 95% confidence interval upper limit for healthcare associated ECB in the funnel plot analysis.
- NHS Dumfries & Galloway and NHS Ayrshire & Arran were above the 95% confidence interval upper limit for community associated ECB in the funnel plot analysis.

- No NHS boards were above normal variation for community or healthcare associated ECB when analysing trends over the past three years.

***Staphylococcus aureus* bacteraemia (SAB) during April to June 2023**

- The total number of SAB cases in patients reported to ARHAI was 423.
- 283 SAB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 18.3 cases per 100,000 TOBDs.
- 140 SAB cases were reported as community associated. This corresponds to an incidence rate of 10.2 cases per 100,000 population.
- No NHS boards were above the 95% confidence interval upper limit for healthcare associated SAB in the funnel plot analysis.
- NHS Ayrshire & Arran was above the 95% confidence interval upper limit for community associated SAB in the funnel plot analysis.
- No NHS boards were above normal variation for community or healthcare associated SAB when analysing trends over the past three years.

Surgical Site Infection (SSI) during April to June 2023

Epidemiological data for SSI are not included for this quarter. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

Results and Commentary

Clostridioides difficile Infection (CDI)

Total cases for quarter

- During Q2 2023, 314 *Clostridioides difficile* infection (CDI) cases in patients were reported to ARHAI. In the previous quarter there were 268 cases.
- In the clinical surveillance typing scheme (covering severe cases and/or outbreaks) ribotype 015 (19.4%) was the most common ribotype isolated, followed by 002 and 078 (both 12.9%), 005 (9.7%), and 020, 181 and 220 (all 6.5%) out of a total of 31 isolates. The remaining 25.8% of isolates comprise a mixture of ribotypes, each with a prevalence of less than 4%.
- In the snapshot surveillance (which reflects the general distribution of ribotypes among CDI cases across Scotland), ribotype 002 (12.7%) was the most common ribotype isolated, followed by 023 and 078 (both 10.9%), 015 and 020 (both 7.3%), 014 and 054 (both 5.5%), and 001, 005, 050, 081 and 220 (all 3.6%) out of a total of 55 isolates. The remaining 21.8% of isolates comprise a mixture of ribotypes, each with a prevalence of less than 3%.
- All isolates tested (clinical and snapshot) were susceptible to metronidazole and vancomycin.

Healthcare associated infection cases by NHS board where specimen taken

- During Q2 2023, 248 CDI cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 16.1 cases per 100,000 total occupied bed days (TOBDs) (**Table 1**).
- Yearly trends (comparing year-ending March 2022 with year-ending March 2023) show that there was a decrease in NHS Ayrshire and Arran (**Table 2**).
- NHS Lanarkshire were above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 1**).

- No NHS boards were above normal variation when analysing trends over the past three years (see [supplementary data](#)).

Community associated infection cases by NHS board of residence

- During Q2 2023, 66 CDI cases were reported as community associated. This corresponds to an incidence rate of 4.8 cases per 100,000 population. ([Table 3](#)).
- Yearly trends (comparing year-ending March 2022 with year-ending March 2023) show that there was a decrease in NHS Lothian ([Table 4](#)).
- No NHS boards were above the 95% confidence interval upper limit in the funnel plot analysis ([Figure 2](#)).
- No NHS boards were above normal variation when analysing trends over the past three years (see [supplementary data](#)).

Table 1: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2023 (January to March 2022) compared to Q2 2023 (April to June 2023).^{1,2,3}

NHS Board	Q1 Cases	Q1 Bed Days	Q1 Rate	Q2 Cases	Q2 Bed Days	Q2 Rate
AA	15	118,331	12.7	18	115,702	15.6
BR	2	32,121	6.2	2	31,141	6.4
DG	7	45,647	15.3	6	45,765	13.1
FF	11	89,482	12.3	16	88,856	18.0
FV	15	78,301	19.2	11	75,633	14.5
GJ	0	12,960	0.0	2	13,181	15.2
GR	14	134,646	10.4	19	133,105	14.3
GGC	53	447,480	11.8	71	445,421	15.9
HG	18	76,330	23.6	14	75,789	18.5
LN	25	153,017	16.3	39	151,775	25.7
LO	30	246,989	12.1	32	240,019	13.3
OR	1	3,304	30.3	0	3,469	0.0
SH	1	2,452	40.8	0	2,046	0.0
TY	21	121,920	17.2	18	116,874	15.4
WI	0	5,936	0.0	0	5,886	0.0
Scotland	213	1,568,916	13.6	248	1,544,662	16.1

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

Table 2: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).^{1,2,3}

NHS Board	YE Q2 22 Cases	YE Q2 22 Bed Days	YE Q2 22 Rate	YE Q2 23 Cases	YE Q2 23 Bed Days	YE Q2 23 Rate
AA	100	447,441	22.3	71	469,560	↓ 15.1
BR	11	123,689	8.9	10	127,495	7.8
DG	28	174,268	16.1	24	184,689	13.0
FF	26	343,433	7.6	44	359,690	12.2
FV	35	295,049	11.9	55	310,418	17.7
GJ	0	49,191	0.0	4	52,121	7.7
GR	54	503,882	10.7	48	532,233	9.0
GGC	241	1,673,187	14.4	241	1,775,666	13.6
HG	53	284,708	18.6	68	303,718	22.4
LN	104	571,171	18.2	123	601,884	20.4
LO	135	971,109	13.9	121	980,283	12.3
OR	2	12,649	15.8	3	13,312	22.5
SH	4	9,488	42.2	1	10,164	9.8
TY	49	463,706	10.6	62	482,652	12.8
WI	4	24,560	16.3	1	24,482	4.1
Scotland	846	5,947,531	14.2	876	6,228,367	14.1

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

Table 3: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).^{1,2,3,4}

NHS Board	Q1 Cases	Q1 Population	Q1 Rate	Q2 Cases	Q2 Population	Q2 Rate
AA	9	368,690	9.9	4	368,690	4.4
BR	1	116,020	3.5	2	116,020	6.9
DG	4	148,790	10.9	1	148,790	2.7
FF	3	374,730	3.2	2	374,730	2.1
FV	0	305,710	0.0	0	305,710	0.0
GR	3	586,530	2.1	9	586,530	6.2
GGC	8	1,185,040	2.7	13	1,185,040	4.4
HG	6	324,280	7.5	7	324,280	8.7
LN	4	664,030	2.4	8	664,030	4.8
LO	9	916,310	4.0	15	916,310	6.6
OR	0	22,540	0.0	0	22,540	0.0
SH	0	22,940	0.0	0	22,940	0.0
TY	8	417,650	7.8	4	417,650	3.8
WI	0	26,640	0.0	1	26,640	15.1
Scotland	55	5,479,900	4.1	66	5,479,900	4.8


1. An arrow denotes statistically significant change.
2. Quarterly population rates are based on an annualised population.
3. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
4. Figures include any updates received following the last publication (see Appendix 2).

Table 4: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2022 (YE Q1 22) compared to year-ending June 2023 (YE Q1 23).^{1,2,3}

NHS Board	YE Q2 22 Cases	YE Q2 22 Population	YE Q2 22 Rate	YE Q2 23 Cases	YE Q2 23 Population	YE Q2 23 Rate
AA	25	368,690	6.8	25	368,690	6.8
BR	4	116,020	3.4	5	116,020	4.3
DG	9	148,790	6.0	13	148,790	8.7
FF	11	374,730	2.9	9	374,730	2.4
FV	0	305,710	0.0	2	305,710	0.7
GR	25	586,530	4.3	25	586,530	4.3
GGC	48	1,185,040	4.1	44	1,185,040	3.7
HG	20	324,280	6.2	29	324,280	8.9
LN	33	664,030	5.0	23	664,030	3.5
LO	72	916,310	7.9	47	916,310	↓ 5.1
OR	2	22,540	8.9	0	22,540	0.0
SH	0	22,940	0.0	2	22,940	8.7
TY	10	417,650	2.4	20	417,650	4.8
WI	4	26,640	15.0	2	26,640	7.5
Scotland	263	5,479,900	4.8	246	5,479,900	4.5


1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
3. Figures include any updates received following the last publication (see Appendix 2).

Figure 1: Funnel plot of CDI incidence rates (per 100,000 TOBD) in healthcare associated infection cases for all NHS boards in Scotland in Q2 2023.^{1,2}



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.
2. NHS Orkney, NHS Shetland and NHS Western Isles overlap, as do NHS Ayrshire and Arran and NHS Tayside.

Figure 2: Funnel plot of CDI incidence rates (per 100,000 population) in community associated infection cases for all NHS boards in Scotland in Q2 2023.^{1,2}



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
2. NHS Orkney and NHS Shetland overlap.

***Escherichia coli* bacteraemia (ECB)**

Total Cases for Quarter

- During Q2 2023, 1,083 *Escherichia coli* bacteraemia (ECB) cases in patients were reported to ARHAI. In the previous quarter there were 1,085 cases.

Healthcare associated infection cases by NHS board where specimen taken

- During Q2 2023, 581 ECB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 37.6 cases per 100,000 TOBDs (**Table 5**).
- Yearly trends (comparing year-ending June 2022 with year-ending June 2023) show that there was a decrease in NHS Ayrshire and Arran and NHS Fife (**Table 6**).
- NHS Tayside was above the 95% confidence interval upper limit for ECB in the funnel plot analysis (**Figure 3**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

Community associated infection cases by NHS board of residence

- During Q2 2023, 502 ECB cases were reported as community associated. This corresponds to an incidence rate of 36.7 cases per 100,000 population (**Table 7**).
- Yearly trends (comparing year-ending June 2022 with year-ending June 2023) show there was a decrease in NHS Ayrshire & Arran (**Table 8**).
- NHS Dumfries & Galloway and NHS Ayrshire & Arran were above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 4**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

Table 5: ECB cases and incidence rates (per 100,000 TOBD) for healthcare associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).^{1,2,3}

NHS Board	Q1 Cases	Q1 Bed Days	Q1 Rate	Q2 Cases	Q2 Bed Days	Q2 Rate
AA	34	118,331	28.7	51	115,702	44.1
BR	14	32,121	43.6	13	31,141	41.7
DG	12	45,647	26.3	25	45,765	54.6
FF	25	89,482	27.9	26	88,856	29.3
FV	47	78,301	60.0	35	75,633	46.3
GJ	5	12,960	38.6	1	13,181	7.6
GR	63	134,646	46.8	41	133,105	30.8
GGC	162	447,480	36.2	156	445,421	35.0
HG	18	76,330	23.6	18	75,789	23.8
LN	60	153,017	39.2	70	151,775	46.1
LO	87	246,989	35.2	79	240,019	32.9
OR	2	3,304	60.5	1	3,469	28.8
SH	1	2,452	40.8	1	2,046	48.9
TY	53	121,920	43.5	64	116,874	54.8
WI	5	5,936	84.2	0	5,886	0.0
Scotland	588	1,568,916	37.5	581	1,544,662	37.6

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

Table 6: ECB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).^{1,2,3}

NHS Board	YE Q2 22 Cases	YE Q2 22 Bed days	YE Q2 22 Rate	YE Q2 23 Cases	YE Q2 23 Bed days	YE Q2 23 Rate
AA	201	447,441	44.9	171	469,560	↓ 36.4
BR	39	123,689	31.5	52	127,495	40.8
DG	65	174,268	37.3	78	184,689	42.2
FF	142	343,433	41.3	112	359,690	↓ 31.1
FV	166	295,049	56.3	166	310,418	53.5
GJ	4	49,191	8.1	10	52,121	19.2
GR	178	503,882	35.3	195	532,233	36.6
GGC	521	1,673,187	31.1	613	1,775,666	34.5
HG	68	284,708	23.9	64	303,718	21.1
LN	220	571,171	38.5	249	601,884	41.4
LO	259	971,109	26.7	296	980,283	30.2
OR	5	12,649	39.5	8	13,312	60.1
SH	10	9,488	105.4	8	10,164	78.7
TY	204	463,706	44.0	240	482,652	49.7
WI	11	24,560	44.8	16	24,482	65.4
Scotland	2,093	5,947,531	35.2	2,278	6,228,367	36.6

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

Table 7: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).^{1,2,3,4}

NHS Board	Q1 Cases	Q1 Population	Q1 Rate	Q2 Cases	Q2 Population	Q2 Rate
AA	43	368,690	47.3	48	368,690	52.2
BR	16	116,020	55.9	14	116,020	48.4
DG	24	148,790	65.4	24	148,790	64.7
FF	29	374,730	31.4	27	374,730	28.9
FV	19	305,710	25.2	17	305,710	22.3
GR	40	586,530	27.7	43	586,530	29.4
GGC	109	1,185,040	37.3	102	1,185,040	34.5
HG	24	324,280	30.0	35	324,280	43.3
LN	82	664,030	50.1	77	664,030	46.5
LO	71	916,310	31.4	74	916,310	32.4
OR	5	22,540	90.0	1	22,540	17.8
SH	1	22,940	17.7	1	22,940	17.5
TY	34	417,650	33.0	36	417,650	34.6
WI	0	26,640	0	3	26,640	45.2
Scotland	497	5,479,900	36.8	502	5,479,900	36.7


1. An arrow denotes statistically significant change.
2. Quarterly population rates are based on an annualised population.
3. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
4. Figures include any updates received following the last publication (see Appendix 2).

Table 8: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).^{1,2,3}

NHS Board	YE Q2 22 Cases	YE Q2 22 Population	YE Q2 22 Rate	YE Q2 23 Cases	YE Q2 23 Population	YE Q2 23 Rate
AA	221	368,690	59.9	177	368,690	↓ 48.0
BR	56	116,020	48.3	56	116,020	48.3
DG	84	148,790	56.5	93	148,790	62.5
FF	165	374,730	44.0	146	374,730	39.0
FV	100	305,710	32.7	99	305,710	32.4
GR	165	586,530	28.1	180	586,530	30.7
GGC	451	1,185,040	38.1	434	1,185,040	36.6
HG	106	324,280	32.7	120	324,280	37.0
LN	314	664,030	47.3	326	664,030	49.1
LO	320	916,310	34.9	283	916,310	30.9
OR	6	22,540	26.6	14	22,540	62.1
SH	8	22,940	34.9	6	22,940	26.2
TY	165	417,650	39.5	133	417,650	31.8
WI	11	26,640	41.3	4	26,640	15.0
Scotland	2,172	5,479,900	39.6	2,071	5,479,900	37.8


1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
3. Figures include any updates received following the last publication (see Appendix 2).

Figure 3: Funnel plot of ECB incidence rates (per 100,000 TOBD) in healthcare associated infection cases for all NHS boards in Scotland in Q2 2023.¹



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.

Figure 4: Funnel plot of ECB incidence rates (per 100,000 population) in community associated infection cases for all NHS boards in Scotland in Q2 2023.¹



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
2. NHS Orkney, and NHS Shetland overlap.

***Staphylococcus aureus* bacteraemia (SAB)**

Total cases for quarter

- During Q2 2023, 423 *Staphylococcus aureus* bacteraemia (SAB) cases in patients were reported to ARHAI. In the previous quarter there were 433 SAB cases.

Healthcare associated infection cases by NHS board where specimen taken

- During Q2 2023, 283 SAB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 18.3 cases per 100,000 TOBDs (**Table 9**).
- Yearly trends (comparing year-ending June 2022 with year-ending June 2023) show that there were no increases or decreases in NHS boards or Scotland overall (**Table 10**).
- No NHS boards were above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 5**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

Community associated infection cases by NHS board of residence

- During Q2 2023, 140 SAB cases were reported as community associated. This corresponds to an incidence rate of 10.2 cases per 100,000 population (**Table 11**).
- Yearly trends (comparing year-ending June 2022 with year-ending June 2023) show that there were no increases or decreases in NHS boards or Scotland overall (**Table 12**).
- NHS Ayrshire & Arran was above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 6**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

Table 9: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).^{1,2,3}

NHS Board	Q1 Cases	Q1 Bed Days	Q1 Rate	Q2 Cases	Q2 Bed Days	Q2 Rate
AA	23	118,331	19.4	26	115,702	22.5
BR	4	32,121	12.5	4	31,141	12.8
DG	6	45,647	13.1	5	45,765	10.9
FF	16	89,482	17.9	13	88,856	14.6
FV	13	78,301	16.6	14	75,633	18.5
GJ	3	12,960	23.1	4	13,181	30.3
GR	27	134,646	20.1	19	133,105	14.3
GGC	77	447,480	17.2	91	445,421	20.4
HG	12	76,330	15.7	17	75,789	22.4
LN	27	153,017	17.6	25	151,775	16.5
LO	48	246,989	19.4	31	240,019	12.9
OR	0	3,304	0.0	0	3,469	0.0
SH	2	2,452	81.6	1	2,046	48.9
TY	39	121,920	32.0	29	116,874	24.8
WI	3	5,936	50.5	4	5,886	68.0
Scotland	300	1,568,916	19.1	283	1,544,662	18.3

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

Table 10: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).^{1,2,3}

NHS Board	YE Q2 22 Cases	YE Q2 22 Bed days	YE Q2 22 Rate	YE Q2 23 Cases	YE Q2 23 Bed days	YE Q2 23 Rate
AA	71	447,441	15.9	93	469,560	19.8
BR	21	123,689	17.0	19	127,495	14.9
DG	30	174,268	17.2	30	184,689	16.2
FF	51	343,433	14.9	53	359,690	14.7
FV	58	295,049	19.7	47	310,418	15.1
GJ	11	49,191	22.4	12	52,121	23.0
GR	93	503,882	18.5	97	532,233	18.2
GGC	305	1,673,187	18.2	339	1,775,666	19.1
HG	49	284,708	17.2	48	303,718	15.8
LN	90	571,171	15.8	103	601,884	17.1
LO	135	971,109	13.9	161	980,283	16.4
OR	3	12,649	23.7	2	13,312	15.0
SH	5	9,488	52.7	6	10,164	59.0
TY	99	463,706	21.3	129	482,652	26.7
WI	9	24,560	36.6	10	24,482	40.8
Scotland	1,030	5,947,531	17.3	1,149	6,228,367	18.4

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

Table 11: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).^{1,2,3,4}

NHS Board	Q1 Cases	Q1 Population	Q1 Rate	Q2 Cases	Q2 Population	Q2 Rate
AA	17	368,690	18.7	22	368,690	23.9
BR	5	116,020	17.5	4	116,020	13.8
DG	5	148,790	13.6	4	148,790	10.8
FF	10	374,730	10.8	15	374,730	16.1
FV	8	305,710	10.6	8	305,710	10.5
GR	16	586,530	11.1	12	586,530	8.2
GGC	21	1,185,040	7.2	20	1,185,040	6.8
HG	8	324,280	10.0	3	324,280	3.7
LN	13	664,030	7.9	14	664,030	8.5
LO	18	916,310	8.0	18	916,310	7.9
OR	0	22,540	0.0	1	22,540	17.8
SH	0	22,940	0.0	3	22,940	52.5
TY	12	417,650	11.7	16	417,650	15.4
WI	0	26,640	0.0	0	26,640	0.0
Scotland	133	5,479,900	9.8	140	5,479,900	10.2


1. An arrow denotes statistically significant change.
2. Quarterly population rates are based on an annualised population.
3. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
4. Figures include any updates received following the last publication (see Appendix 2).

Table 12: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).^{1,2,3}

NHS Board	YE Q2 22 Cases	YE Q2 22 Population	YE Q2 22 Rate	YE Q2 23 Cases	YE Q2 23 Population	YE Q2 23 Rate
AA	50	368,690	13.6	61	368,690	16.5
BR	16	116,020	13.8	14	116,020	12.1
DG	27	148,790	18.1	20	148,790	13.4
FF	38	374,730	10.1	52	374,730	13.9
FV	36	305,710	11.8	28	305,710	9.2
GR	63	586,530	10.7	60	586,530	10.2
GGC	76	1,185,040	6.4	75	1,185,040	6.3
HG	33	324,280	10.2	30	324,280	9.3
LN	63	664,030	9.5	51	664,030	7.7
LO	88	916,310	9.6	84	916,310	9.2
OR	2	22,540	8.9	3	22,540	13.3
SH	3	22,940	13.1	4	22,940	17.4
TY	39	417,650	9.3	43	417,650	10.3
WI	3	26,640	11.3	0	26,640	0.0
Scotland	537	5,479,900	9.8	525	5,479,900	9.6


1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
3. Figures include any updates received following the last publication (see Appendix 2).

Figure 5: Funnel plot of SAB incidence rates (per 100,000 TOBD) in healthcare associated infection cases for all NHS boards in Scotland in Q2 2023.¹



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Information Services Division ISD(S)1.

Figure 6: Funnel plot of SAB incidence rates (per 100,000 population) in community associated infection cases for all NHS boards in Scotland in Q2 2023.¹



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.

Surgical Site Infection (SSI)

Epidemiological data for SSI are not included for this quarter. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

List of Tables

File name	File and size
Table 1: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).	supplementary data (490 Kb)
Table 2: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).	supplementary data (490 Kb)
Table 3: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).	supplementary data (490 Kb)
Table 4: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).	supplementary data (490 Kb)
Table 5: ECB cases and incidence rates (per 100,000 TOBD) for healthcare associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).	supplementary data (490 Kb)
Table 6: ECB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).	supplementary data (490 Kb)
Table 7: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).	supplementary data (490 Kb)
Table 8: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).	supplementary data (490 Kb)
Table 9: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).	supplementary data (490 Kb)
Table 10: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).	supplementary data (490 Kb)

File name	File and size
Table 11: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2023 (January to March 2023) compared to Q2 2023 (April to June 2023).	supplementary data (490 Kb)
Table 12: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2022 (YE Q2 22) compared to year-ending June 2023 (YE Q2 23).	supplementary data (490 Kb)

Contact

Shona Cairns, Consultant Healthcare Scientist, ARHAI Scotland

Phone: 0141 300 1922

Email: NSS.ARHAIdatateam@nhs.scot

Further Information

Further information can be found on the [ARHAI Scotland website](#).

The data from this publication is available to download [from our web page](#) along with background information and metadata.

For more information on types of infections included in this report, please see the [CDI](#), [ECB](#), [SAB](#) and [SSI](#) pages.

The next release of this publication will be January 2024.

Rate this publication

Please [provide feedback](#) on this publication to help us improve our services.

Appendices

Appendix 1 – Background information

Revisions to the surveillance

Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
Addition of healthcare/ community case assignment	October 2017	CDI/SAB	An increasing awareness of those infections occurring in community settings has warranted measurement of incidence rates by healthcare setting (healthcare settings vs. community settings) to enable interventions to be targeted to the relevant settings.
Use of standardised denominator data for CDI/ECB/SAB	October 2017	CDI/SAB	<p>The 'total occupied bed days' data will be extracted from the ISD(S)1 data collection which contains aggregated information on acute and non-acute bed days including geriatric medicine and long-term stays in real-time.</p> <p>The standardisation of denominator data across the three surveillance programmes could result in slightly less accurate denominators due to inclusion of persons in the denominator who are at slightly lower risk of infection. However, in surveillance programmes developed for the purpose of preventing infection and driving quality improvement in care, consistency of the denominators over time tend to be more important than getting a very precise estimate of the population at risk, as the primary aim is to reduce infection to a lower incidence relative to what it was at the initial time of benchmarking.</p>

Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
Reporting of CDI cases aged 15 years and above only	October 2017	CDI	Current Scottish Government Local Delivery Plan Standards are based on the incidence rate in cases aged 15 years and above, therefore the report has been aligned to reflect this. ARHAI will continue to monitor CDI incidence rates in the separate age groups (15-64 years and 65 years and above) internally.
Reporting of total SAB cases only (i.e. Removal of MRSA sub-analysis)	October 2017	SAB	MRSA numbers are becoming too small to carry out statistical analysis. ARHAI will continue to monitor internally.
Name change for <i>Clostridium difficile</i> to <i>Clostridioides difficile</i> .	October 2018	CDI	A novel genus <i>Clostridioides</i> has been proposed for <i>Clostridium difficile</i> which will now be known as <i>Clostridioides difficile</i> . There are no implications with regards to the natural history of infection, infection prevention and control, or clinical treatment. https://www.sciencedirect.com/science/article/pii/S1075996416300762?via%3Dihub
Addition of year end trends to ECB	October 2018	ECB	This analysis (already included for other reported organisms) is now possible for ECB due the amount of data that has now been collected.
Change in production of Quarterly SPC Charts	April 2020	All sections	Updated method used for calculating exceptions within the SPC charts. The mean, Trigger/warning lines (+2 standard deviations) and upper control limits (+3 standard deviations) presented, are now calculated using the 12 quarters prior to the most recent quarter, as to compare the new rate against an existing baseline.
Changes to data collection in	July 2020	All sections	A CNO letter sent 25th March 2020 asked NHS Boards to continue to report case numbers and origin of infection data but they would not be

Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
response to COVID-19			<p>required to report risk factor data as would normally be expected under enhanced/extended surveillance for <i>Staphylococcus aureus</i> bacteraemia (SAB), <i>Escherichia coli</i> bacteraemia (ECB) and <i>Clostridioides difficile</i> infection (CDI).</p> <p>All mandatory and voluntary Surgical Site Infection (SSI) surveillance was paused until further notice.</p>
Change from Health Protection Scotland to ARHAI Scotland	October 2020	All sections	<p>In April 2020, as part of launch of Public Health Scotland, the ARHAI Group within Health Protection Scotland (HPS) became ARHAI Scotland.</p> <p>ARHAI Scotland will continue to support NHS boards in the prevention and control of healthcare associated infections. The report was updated to reflect this branding change.</p>
Change from National Waiting Times Centre (NWTC) to NHS Golden Jubilee (GJ)	January 2021	All sections	Labelling updated.
Change to reporting of ribotypes	October 2022	CDI	A description of <i>C. difficile</i> PCR ribotypes (RTs) had not been included in the reports published between October 2022 and July 2023, while the CDI typing service provided by the Scottish Microbiology Reference Laboratory (SMiRL) was being reviewed.
Recommencement of mandatory surveillance	April 2023	All sections	As part of a return to pre-pandemic surveillance, for data collected from October 2022 onwards enhanced/extended surveillance

Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
following COVID-19 response			<p>for <i>Escherichia coli</i> bacteraemia (ECB) and <i>Staphylococcus aureus</i> bacteraemia (SAB) has been reinstated. Mandatory surveillance of enhanced fields including source of infection/entry point and risk factors as appropriate has resumed in line with the bacteraemia surveillance protocol.</p> <p>Previously, for data collected from 25 March 2020 onwards, only origin of infection was mandatory for ECB and SAB surveillance.</p> <p>Meanwhile all mandatory and voluntary Surgical Site Infection (SSI) surveillance will remained paused until further notice.</p>

Report methods and caveats

Full details of the report methods and caveats can be found [here](#).

UK comparisons

Improved collaboration with the other UK nations has made comparisons and standardisation across the UK a high priority for all four nations' governments/health departments. The changes introduced in the Scottish HAI surveillance, described here facilitate benchmarking of the Scottish data against those of the rest of the UK.

Key to NHS boards

AA = NHS Ayrshire & Arran

BR = NHS Borders

DG = NHS Dumfries & Galloway

FV = NHS Forth Valley

FF = NHS Fife

GJ = NHS Golden Jubilee

GR = NHS Grampian

GGC = NHS Greater Glasgow & Clyde

HG = NHS Highland

LN = NHS Lanarkshire

LO = NHS Lothian

OR = NHS Orkney

SH = NHS Shetland

TY = NHS Tayside

WI = NHS Western Isles

Appendix 2 – Publication Metadata

Publication title

Quarterly epidemiological data on *Clostridioides difficile* infection, *Escherichia coli* bacteraemia, *Staphylococcus aureus* bacteraemia and Surgical Site Infection in Scotland.

Description

This release provides information on *Clostridioides difficile* infection, *Escherichia coli* bacteraemia, *Staphylococcus aureus* bacteraemia and Surgical Site Infection in Scotland for the period April to June 2023.

Theme

Infections in Scotland.

Topic

Clostridioides difficile infection, *Escherichia coli* bacteraemia, *Staphylococcus aureus* bacteraemia and Surgical Site Infection.

Format

MS Word reports and MS Excel workbooks.

Data source(s)

***Clostridioides difficile* infection:**

Case data source: Electronic Communication of Surveillance in Scotland (ECOSS).

Data linkage source: General / Acute Inpatient and Day Case Scottish Morbidity Records (SMR01).

Healthcare associated denominator: Total occupied bed days: Information Services Division ISD(S)1.

Community associated denominator: National Records of Scotland (NRS) mid-year population estimates.

***Escherichia coli* bacteraemia:**

Case data source: Electronic Communication of Surveillance in Scotland (ECOSS) Enhanced Surveillance Web Tool.

Healthcare associated denominator: Total occupied bed days: Information Services Division ISD(S)1.

Community associated denominator: NRS mid-year population estimates.

***Staphylococcus aureus* bacteraemia:**

Case data source: Electronic Communication of Surveillance in Scotland (ECOSS) Enhanced Surveillance Web Tool.

Healthcare associated denominator: Total occupied bed days: Information Services Division ISD(S)1.

Community associated denominator: NRS mid-year population estimates.

Surgical Site Infection:

Case data source: Surgical Site Infection Reporting System (SSIRS).

Number of procedures denominator: SSIRS.

Date that data are acquired

The date the data were extracted for analysis.

Clostridioides difficile: 20/07/2023.

Escherichia coli Bacteraemia: 29/08/2023.

Staphylococcus aureus Bacteraemia: 30/08/2023.

Surgical Site Infection: Epidemiological data for SSI are not included for this quarter. National

Mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

Release date

03 October 2023.

Frequency

Quarterly.

Timeframe of data and timeliness

The latest iteration of data is 30 June 2023, therefore the data are three months in arrears.

Continuity of data

Quarterly as at March, June, September, December.

Revisions statement

These data are not subject to planned major revisions. However, ARHAI aims to continually improve the interpretation of the data and therefore analysis methods are regularly reviewed and may be updated in the future.

Revisions relevant to this publication

Updates to previously published figures.

Total Occupied Bed Days (TOBDs)

There were no retrospective amendments to this data.

***Clostridioides difficile* Infection (CDI)**

Data linkage between CDI surveillance data and the Scottish Morbidity Records (SMR01) is used to identify community and healthcare associated CDI cases. Delays in SMR01 data availability at the time of report production means that some cases may be reassigned as either healthcare associated or community associated CDI at a later date (see **Methods and Caveats**).

Quarter	NHS board	Previous Healthcare associated CDI cases	Updated Healthcare associated CDI cases	Previous Community associated CDI cases	Updated Community associated CDI cases	Reason
2023 Q1	FF	12	11	N/A	N/A	Retrospective data amendment
2023 Q1	GGC	52	53	N/A	N/A	Retrospective data amendment
2023 Q1	HG	17	18	7	6	Retrospective data amendment
2023 Q1	LN	N/A	N/A	5	4	Retrospective data amendment
2023 Q1	LO	29	30	10	9	Retrospective data amendment

***Escherichia coli* Bacteraemia (ECB)**

Quarter	NHS board	Previous Healthcare associated ECB cases	Updated Healthcare associated ECB cases	Previous Community associated ECB cases	Updated Community associated ECB cases	Reason
2022 Q4	AA	35	43	51	43	Retrospective data amendments
2023 Q1	AA	31	34	46	43	Retrospective data amendments

***Staphylococcus aureus* Bacteraemia (SAB)**

There were no retrospective amendments to the data.

Surgical Site Infection (SSI)

Epidemiological data for SSI are not included for this quarter. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

Concepts and definitions

***Clostridioides difficile* Infection (CDI)**

Clostridioides difficile infection (CDI) is the most common cause of intestinal infections (and diarrhoea) associated with antimicrobial therapy. Clinical disease comprises a range of toxin mediated symptoms from mild diarrhoea, which can resolve without treatment, to severe cases such as pseudomembranous colitis (PMC), toxic megacolon and peritonitis that can lead to death.

For mild disease, diarrhoea is usually the only symptom. Other clinical features consistent with more severe forms of CDI include fever, leukocytosis, pseudomembranous colitis and ileus.

Symptoms of CDI, and associated immune reactions in children differ from those in adults, but the pathology is not well described. Routine testing in children aged less than 3 years old is not recommended.

Approximately 3% of healthy adults and 20% of hospital patients carry *C. difficile* in their gut. The elderly living in care homes or staying in long-term care facilities are more likely to carry *C. difficile* than other adults. In studies from the US, 20% of care home residents and 50% of patients in long-term care facilities, respectively, were colonised with *C. difficile*.

The Scottish CDI guidance 'Guidance on Prevention and Control of CDI in Healthcare Settings in Scotland' and *C. difficile* testing protocol 'protocol for diagnosis of CDI' are key documents for the control and reduction of CDI in Scotland.

There remains scope for a reduction of incidence rates through continued local monitoring, appropriate prescribing, and compliance with infection prevention and control measures.

***Escherichia coli* Bacteraemia (ECB)**

Escherichia coli (*E. coli*) is a bacterium commonly found in the gut of animals and people where it forms part of the normal gut flora that helps human digestion. Although most types of *E. coli* live harmlessly in your gut, some types can make you unwell. Some types of *E. coli* can cause urinary tract infections (UTI) and illnesses such as pneumonia.

E. coli continues to be the most frequent cause of Gram-negative bacteraemia in Scotland and is a frequent cause of infection worldwide.

New cases of ECB are identified by laboratory testing (via positive blood cultures) and submitted to the national system ECOSSE. Only cases of ECB that have been reviewed and confirmed by the NHS boards in the enhanced surveillance system are included in the quarterly commentaries.

***Staphylococcus aureus* Bacteraemia (SAB)**

Staphylococcus aureus (*S. aureus*) is a Gram-positive bacterium which colonises the nasal cavity of about a quarter of the healthy population. This colonisation is usually harmless. However, infection can occur if *S. aureus* breaches the body's defence systems and can cause a range of illnesses from minor skin infections to serious systemic infections such as bacteraemia. Some strains of *S. aureus* produce toxins or show resistance to first line treatments therefore can be more complicated to treat.

Scotland has had a mandatory methicillin resistant *S. aureus* (MRSA) bacteraemia surveillance programme since 2001. The programme was extended to include methicillin sensitive *S. aureus* (MSSA) bacteraemias in 2006 and in 2014 to include enhanced *S. aureus* bacteraemia (SAB) surveillance. Full details of the surveillance methods may be found in the protocol.

Surgical Site Infection (SSI)

A surgical site infection (SSI) is an infection that occurs after surgery in the part of the body where the surgery took place. SSI may be superficial infections involving the skin only, while other SSI is more serious and can involve tissues under the skin, organs, or implanted material.

SSI is one of the most common types of healthcare associated infection in Scotland, estimated to account for 16.5% of inpatient healthcare associated infection within NHSScotland, according to Scottish Point Prevalence Survey 2016. Prior to the COVID-19 pandemic NHS boards participated in SSI surveillance for procedures including caesarean section, hip arthroplasty, large bowel, and vascular procedures. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

Further information on the methods and caveats for can be found [here](#).

When a board is highlighted as an exception this will be looked at further as per the exception reporting process.

Further information on the production of quarterly exception reports (SOP) can be found [here](#).

Relevance and key uses of the statistics

***Clostridioides difficile* Infection (CDI)**

Surveillance data is essential for monitoring trends and assisting in outbreak investigations. Certain strains of *C. difficile* have been associated with more severe disease (e.g. PCR types 027 and 078) and antibiotic resistance has been suggested to be a factor in the emergence and spread of *C. difficile* epidemic types. In addition, the identification of ribotypes and whole genome sequencing can assist in the investigation of outbreaks.

The surveillance data should inform and support NHS boards in implementing antimicrobial prescribing policies, infection control and prevention interventions.

***Escherichia coli* Bacteraemia (ECB)**

The outputs of the surveillance programme are intended to support the NHS boards in controlling and reducing the burden of ECB. Benchmarking against other NHS boards (and other countries) is an important function of the surveillance. In conjunction with other sources of intelligence (including enhanced surveillance data) the outputs of the quarterly surveillance can also help the NHS boards with planning and targeting activities to reduce risk to patient of becoming infected and improve the care of patients (i.e. strategic planning, targeted intervention, care quality improvement).

As urinary tract infections are commonly associated with *E. coli* bacteraemia cases, ARHAI Scotland coordinates the sharing of urinary tract infection (UTI) reduction resources. These include the National Hydration Campaign which aims to convey the public health benefits of good hydration in terms of UTI prevention, and the National Catheter Passport which gives information on how to care for urinary catheters at home as well as a clinical section for a nurse, doctor or carer. Work is also being done on improving antimicrobial treatment of people

with infections – co-ordinated by the Scottish Antimicrobial Prescribing Group (SAPG) through a network of antimicrobial management teams.

***Staphylococcus aureus* Bacteraemia (SAB)**

ARHAI continues to offer support to NHS boards across Scotland to aid their local SAB reduction strategies. A programme of enhanced SAB surveillance commenced in all NHS boards in Scotland on 1 October 2014. This is providing further intelligence to focus future reduction interventions.

Surgical Site Infection (SSI)

SSIs are estimated to double the length of post-operative stay in hospital and significantly increase the cost of care. The national SSIS programme is intended to enhance the quality of patient care with use of data obtained from surveillance to compare incidence of SSI over time and against a benchmark rate and to use this information locally to review and guide clinical practice. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

Accuracy

CDI, ECB and SAB data are the product of the Electronic Communication of Surveillance in Scotland (ECOSS). Participating laboratories routinely report all identifications of organisms, infection or microbiological intoxication, unless they are known to be of no clinical or public health importance. The collected data is used for: the identification of single cases of severe disease, outbreaks, and longer term trends in the incidence of laboratory reported infections, enhanced surveillance, health protection, analytical and statistical use.

Delays in SMR01 data availability at the time of report production means that some CDI cases may be reassigned at a later date. Therefore, healthcare-associated and community-associated CDI cases in this report are provisional and may change as more data becomes available.

The enhanced ECB and SAB ECOSS web tool has built-in validation rules that must be met before the data is submitted. Further checks of the data are made by ARHAI before the data are analysed. CDI validation of collected data entails sending a list of CDI cases extracted

from ECOSS and asking for confirmation that the cases represent true CDI cases, i.e., meet the case definition which is defined in the surveillance protocol sent to all the NHS boards and available on the [website](#). The final list of CDI cases is then agreed before publishing.

SSI data is reported via the Surgical Site Infection Reporting System (SSIRS). Complying with a national minimum dataset and definitions for Surgical Site Infections, enables the data submitted to ARHAI Scotland to be mapped into the national dataset following a rigorous quality assurance process.

SSIRS has built-in validation rules and data cannot be submitted until rules are met. SSIRS primary validation checks for incomplete or conflicting information entered in core data fields. Secondary validation includes data checks that can be accepted without completion and/or values that are outside the stated requirements.

Completeness

ECB/SAB:

Surveillance data are collected using an ECOSS Surveillance Web Tool that allows data collectors in NHS boards to validate ECOSS records as well as additional cases that may not be included in the ECOSS system. This therefore means that completeness is near to 100%. Only cases reviewed in the enhanced surveillance are included in the 'analysis' in the commentary publication.

CDI:

Diagnosis of CDI is confirmed in a patient who is both symptomatic with diarrhoea and whose stool has tested positive using a two-step diagnostic algorithm. Laboratory reports of positive samples are then sent to ECOSS for data extraction. In the community, patients with CDI may have a mild illness that does not require a GP visit, or the symptoms may not be recognised by a GP for a *C. difficile* test request. In hospitals, the chance of a diarrhoea sample not being tested for *C. difficile* is much lower, and patients who have ileus (i.e., CDI but with no diarrhoea) might be missed; however, as a result of ARHAI published guidance on managing CDI patients, this is not likely. ARHAI carries out validation with the NHS boards to check that no CDI cases have been missed from ECOSS each quarter. As with most surveillance programmes, completeness will not be 100% but mandatory surveillance, supported by ARHAI through issued guidance on diagnosis of CDI and validation of cases, ensures this is as near

to 100% as practically possible. When categorising by healthcare or community, not all cases may be successfully data linked in any one quarter. Therefore, the sum total of the healthcare and community CDI cases may not equal the total number of CDI cases reported to ARHAI.

CDI Ribotyping: The snapshot programme aims to obtain a representative sample of isolates from CDI cases across all NHS boards in Scotland. However, not all NHS boards have submitted the number of isolates specified by the protocol for the reporting quarter and therefore the data should be interpreted with caution.

The clinical typing scheme aims to provide data from severe CDI cases and/or suspected outbreaks. These data are based on the specimens and information received by the reference laboratory and are not validated by individual NHS boards for completeness; therefore the data should be interpreted with caution.

SSI:

National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

Comparability

CDI / ECB / SAB:

Public Health England report rates per quarter for CDI, ECB and SAB (methods and definitions may differ) – <https://www.gov.uk/government/statistics/mrsa-mssa-and-e-coli-bacteraemia-and-c-difficile-infection-quarterly-epidemiological-commentary>

SSI:

SSI rates by health board are not published by the rest of UK. Annual numbers are reported by Public Health England - <https://www.gov.uk/government/publications/surgical-site-infections-ssi-surveillance-nhs-hospitals-in-england>

Accessibility

It is the policy of ARHAI to make its web sites and products accessible according to **published guidelines**.

Coherence and clarity

Tables and charts are accessible via the ARHAI Scotland website at:

<https://www.nss.nhs.scot/publications/quarterly-epidemiological-data-on-clostridioides-difficile-infection-escherichia-coli-bacteraemia-staphylococcus-aureus-bacteraemia-and-surgical-site-infection-in-scotland-april-to-june-q2-2023/>

Value type and unit of measurement

Healthcare associated cases and incidence rates (per 100,000 Total occupied bed days (TOBDs)) for *Clostridioides difficile* infection, *Escherichia coli* bacteraemia & *Staphylococcus aureus* bacteraemia.

Community associated cases and incidence rates (per 100,000 population) for *Clostridioides difficile* infection, *Escherichia coli* bacteraemia & *Staphylococcus aureus* bacteraemia.

Number of procedures and Surgical Site Infections and incidence per categories (per 100 procedures) for inpatients and post discharge surveillance.

Disclosure

The PHS protocol on Statistical Disclosure Protocol is followed:

<https://publichealthscotland.scot/publications/statistical-disclosure-protocol/>

Official Statistics designation

Official Statistics.

UK Statistics Authority Assessment

Not Assessed.

Last published

04 July 2023.

Next published

January 2024.

Date of first publication

7 April 2015.

Prior to this *Clostridioides difficile* infection (first publication - 2 Apr 2008) and *Staphylococcus aureus* bacteraemia (first publication - 3 Apr 2002) were separate reports.

Help email

NSS.ARHAIdatateam@nhs.scot

Date form completed

03 October 2023.

Appendix 3 – Early access details

Pre-Release Access

Under terms of the "Pre-Release Access to Official Statistics (Scotland) Order 2008", ARHAI is obliged to publish information on those receiving Pre-Release Access ("Pre-Release Access" refers to statistics in their final form prior to publication). The standard maximum Pre-Release Access is five working days. Shown below are details of those receiving standard Pre-Release Access.

Standard Pre-Release Access:

- Scottish Government Health Department
- NHS Board Chief Executives
- NHS Board Communication leads

Appendix 4 – ARHAI Scotland and Official Statistics

About ARHAI Scotland

ARHAI Scotland works at the very heart of the health service across Scotland, delivering services critical to frontline patient care and supporting the efficient and effective operation of NHS Scotland.

Official Statistics

Our statistics comply with the **Code of Practice for Statistics** in terms of trustworthiness, high quality and public value. This also means that we keep data secure at all stages, through collection, processing, analysis and output production, and adhere to the **‘five safes’**.